












Catalog numbers and accessory options available may be found on the back of each fixture catalog sheet. All options are not available with each fixture.

	<p>Barn Doors: Metal, four leaf hinged doors to control light spill without diminishing the intensity of the beam.</p>		<p>Diffuser: (Zone Series Only) Plastic lens used to control glare and create a large pattern of light.</p>
	<p>DMX Analog Encoder: This is used for dimming purposes, to convert the DMX signal to an analog signal.</p>		<p>Egg Crate: Black aluminum grid used to create a medium pattern of light with a 1/2 stop reduction of light.</p>
	<p>Gel Frame: This frame is used to hold diffusion or colored gels for artistic value.</p>		<p>Infra-Red Remote Dim: Hand held dimmer control unit with sensor to raise and lower the light intensity of the fixture.</p>
	<p>Intensifier: A reflective unit which narrows the light beam and intensifies the light output by 33%.</p>		<p>Parabolic Louver: (Zone Series Only) One piece metalized, injection molded louver to create a medium light pattern.</p>
	<p>Parallel Blade Louver: (VT Series Only) Diffuse aluminum louver used to decrease the side throw of light.</p>		<p>Scissor Clamp: Attaches to "T" structure of a T-Bar ceiling for temporary fixture installations.</p>
 <p>1 2 3 Section</p>	<p>Zone Screens: Black honeycomb screen used to control the pattern of light. Intensifier Zone Screens: Are built to fit the increased dimension of the intensifier.</p> <p>1. Narrow: Creates narrow light pattern with a full stop reduction of light. 2. Medium: Creates medium light pattern with a 1/2 stop reduction of light. 3. Wide: Creates a wide light pattern with a 1/4 stop reduction of light.</p>		